

Excel Templates Guides, Description, Download and installation.

SME RAID Template (Risk – Action – Issue – Decision)



PROJECT RAID LOG DASHBOARD



pmo



TILS MONISCI	Project Title] Project Messer	-			Friday, 22 October 2021		CONTRACT NAME				
us D	Issue Description	Date Relead	Area of Impact	Severity	Action Required	Date Due	Owner	Notes	Status	Date Cice	
101	Internet links not available within time line		Timeline	High	fiscalate or look for alternate provider	15/02/2021	Consultant	5/01 - Meeting with customer who advised of issue	Closed	21/03/20	
102	Doisy not completing Assets				Need to escalate for a new UI designer	21/07/2021	Project Manager	20/07 - This is a ten problem			
103											
104											
105											
106											
107		-				-					
100		-				1			+	+	
120		+				+	+		+	+	
111						-				<u> </u>	
112						-					
113											
154											
125											
126											
117											
138											
129											
120											
121											
122											
123						-					
125						-					
125						-			-		
122						-					
128						-	-		+	<u> </u>	
122		-				-					
190											
181											
132											
133											
104											
05						-				-	
106		-				-			-	-	
										-	
138		-				-				-	
199		+				+			+	+	
140		-				-			+	+	
141		-				-			+		
142		-				+	+	-	+	+	
141		-				+	+	-	+	+	
145											

ACTION



DECISION

PROJECT DECISION REGISTER

BCT TITLE BCT HWWARE	Alder, 27 Distance 201 201 201											
Item No	Date Related	Dedalon Owner	Description of Decision	Alternative Considered	Rationale for Decision	Cost implications	Approved By	Analist	2min	Date Co		
451	Data the disclosing and singer	Person atta is regenerativa for a success to access of a success	Neuroption of the decision required and the respect of making or not making that decision	What alternative seen considered	The means for the decision being made a the Postine or Negative	Down the database much report position or magnitum on the project hadget E.g. will the expect user addition funds and have much	Notes or results on the completion of the intervences for there and an force want to also force want to also may be marked for also	When or what group reads the decision. Popular System of Popular Registed Mangar Mill an UK	~	1 dan 1 1		
	11.00.0011	Prof Services Har	add additional resource	Asking customer to provide additional resonant	Customer does not have resource with	So cost instant	Professional	Enail confirmation from Prof Sta High	Canad	19/06/01		
402	16/06/2021		Omite server or Azure	Ching ABS, too costly	required shift set We have a Autre subscription	As per business case	Practs	Insi confermation from Head of Finance		20/06/20		
A03	TENED OF	Propell Pheneger	Onente server or Asure	No.	the have a Autre adaption	As per business case		Full Place of Foliate		and the state		
A05	18/08/0021	Solution Computant	Channes of secondary	be.	No given	So and impart		auni hun france	Rented	21/06/20		
A05		and a second second								-		
407	-											
A08												
A02												
A10												
A11												
A12												
A13												
A14												
A13												
A16												
A17												
A18												
A19												
830												
A21												
#22	-									<u> </u>		
A23	-											
#24	-									<u> </u>		
A25 A24	-									<u> </u>		
#26 #27										<u> </u>		
A28	-									<u> </u>		
A28 A29	-			-	-	+		-		+		
A32	-											
A30 A31	-									+		
432	-									+		
A11												
434	-			-	1			-	-	+		
411	-											
434	_											
A37												
A38	-									_		
A33												
8.40												
441												
842												
A43										_		
444										_		
445												

Description

A RAID log is a simple, effective project management tool to organise a project by tracking risks, actions, issues, and decisions in the one log. The right level of detail needs to be determined for the RAID log, dependent upon the project so that it is an effective tool for audits, governance, and oversight of the project. It is a dynamic document that is constantly maintained throughout the project.

How to Use

ID

Give each Risk a unique ID so that it can be tracked easily and cross referenced for example in a Change Request or in an Issue Register. Example: R01, R02, R03...

Date Raised

This is the date the Risk was raised.

Title

This is where you give a title to the Risk, also add why it is considered a risk and provide any impact in the description

Description

A clear description of the Action to be taken along with any relevant cross references, e.g. to a change request or issue

Probability

Here you rate the probability of the Risk coming to fruition. Rate from One to Five. One being the lower end of the scale

Impact

Here you enter the impact this Risk will have on the project. Rate from One to Five. One being the lower end of the scale

Risk Rating

This is calculated field base on the Probability and Impact ratings you provide for the project. The ratings are Low, Medium, and High

Mitigation

Here you enter the mitigation for the risk. The mitigation is required to stop the Risk from coming to fruition. If the Risk does come to fruition, close the Risk, and raise it as an Issue.

Owner

Here you enter the person's name or Department who owns the risk.

Status

Here you enter the Status of the Risk, either still Opened or Closed

Notes

Here you enter the notes in relation to the Risk, how it is progressing, if you are blocked or waiting on someone within the team to Action a related item before you can close yours. Always start with a date MM/DD/YY – then add note

Date Closed

Here you enter the date the Risk was closed.

Action Register

How to Use

ID

Give each Action a unique ID so that it can be tracked easily and cross referenced for example in a Change Request or in a Risk or Issue Register. Example: AI01, AI02, AI03...

Date Raised

This is the date the Action was raised.

Title

This is where you give a title to the Action

Description

A clear description of the Action to be taken along with any relevant cross references, e.g. to a change request or issue

Owner

Here you enter the person's name or Department who owns the Action.

Impact

Here you enter the impact this Action will have on the project. High Medium or Low

Date Required

Here you enter the date the required for the Action to be closed or updated

Notes

Here you enter the notes in relation to the Action, how it is progressing, if you are blocked or waiting on someone within the team to Action a related item before you can close yours. Always start with a date MM/DD/YY – add note

Status

Here you enter the Status of the Action, either still Opened or Closed

Date Closed

Here you enter the date the Action was closed. Can also be referenced in a report along with the Action ID.

Issue Register

How to Use

ID

Give each Issue a unique ID so that it can be tracked easily and cross referenced for example in a Status Report. Numbering Example: IS01, IS02, IS03...

Date Raised

This is the date the Issue was raised and first entered into the Issue Register.

Title

In this column, provide a Title for the Issue. If this is a Risk that has been elevated to an Issue, keep the same name, and close the Risk.

Description

Provide a clear description of the Issue here and how it is impacting the project.

Probability

Rate the Probable impact this Issue will have on the project, as an example, Low Medium, High or Critical.

Impact Response

Rate the response of the Impact. Will the project Accept the Issue, Share the Issue, Transfer the Issue or Mitigate the issue.

Impact Response Plan

Describe the response plan here. E.g. If you are going to Share the issue, your plan could be to bring in third party to assist in resolution as they have expertise to resolve issues like this.

Response Owner

Here you enter the person's name or Department who owns the Issue, they will also be responsible for reporting on its progress.

Status

Here you enter the Status of the Issue, either still Opened or Closed

Notes

Here you enter the notes in relation to the Action, how it is progressing, if you are blocked or waiting on someone within the team to Action a related item before you can close yours. Always start with a date MM/DD/YY – add note

Date Closed

Here you enter the date the Issue was closed. Can also be referenced in a report along with the issue ID.

Decision Register

How to Use

ID

Give each Decision a unique ID so that it can be tracked easily and cross referenced if required in a Change Request or in a Risk or Issue Register. Example: D01, D02 etc...

Date

This is the date the Decision was entered into the Decision Register.

Raised By

This is the name of the person who requested the Decision.

Title

This is where you give a title to the Decision. E.g., Decision required on which version of an application to install

Description

A clear description of the Decision required.

Impact

Here you enter the impact this Decision will have on the project. High Medium or Low

Approved By

This is the name of the Person or body (SteerCo) that has made the decision

Date Approved

Here you enter the date the Decision was made.

Artifact

This is essential, need to have a signed document, or email approval so it can be referenced if required.

Status

Is the Decision still pending, waiting on further up the chain approvals or is it closed, change the status here.

Date Closed

Enter the date the decision was closed

How to install the Excel .xlam file (Add-in)

- 1. Save Add-in to Computer
 - a. Make sure to download and save the add-in (.XLAM file) to your computer. Pick a folder that is easy to find (E.g., My Documents\Excel Files)
- 2. Unblock the File.

d.

- a. After saving the file, locate the file in the Windows Explorer.
- b. Right-click the file and select Properties.
- c. Make sure the Unblock box is checked near the bottom of General Tab.

ieneral Secu	urity Details Previous Versions	
X	AutoMacro_Basic	
Type of file:	Microsoft Excel Add-In (xlam)	
Opens with:	Excel Change	
Location:	C:\Users\StevePC2\Downloads	
Size:	471 KB (482,960 bytes)	
Size on disk:	472 KB (483.328 bytes)	
Created:	Wednesday, April 11, 2018, 8:29:28 AM	
Modified:	Wednesday, April 11, 2018, 11:18:10 PM	
Accessed:	Wednesday, April 11, 2018, 11:18:09 PM	
Attributes:	Read-only Hidden Advance	ed
Security:	This file came from another computer and might be blocked to Unblo help protect this computer.	ck

3. This step in optional as the issue has been resolved in recent updates.

- a. Trust the File Location
- b. In July 2016, Microsoft added a security update that requires you to add the .XLAM file location as a Trusted Location for the add-in to work.
- c. Go to File > Options > Trust Centre > Trust Centre Settings... > Trusted
 Locations > Add New Location




e. Trust Centre > Trust Centre Settings

Excel Options			2
General Formulas	Help keep your documents safe and your computer secure and healthy.		
Data	Security & more		
Proofing	Visit Office.com to learn more about protecting your privacy and security.		
Save	Microsoft Trustworthy Computing		
Language Sale of Access	Microsoft Excel Trust Center		
Advanced	The Trust Center contains security and privacy settings. These settings help keep your computer secure. We recommend that you do not change these settings.	Jrust Center Se	ittings
Customice Ribbon			
Quick Access Toolbar			
Add-ins			
Trust Center			
		OK	Cancel


g. Trusted Locations > Add New Location

	Trusted Locations									
Trusted Locations	Westing All the sector of the sector of the sector	- descent descent des Marcola de la composición de la compo								
Trusted Documents	Warning: All these locations are treated as trusted sources for opening files. If you change or add a location, sure that the new location is secure.									
Trusted Add-in Catalogs	Path	Description	Date Mo							
	User Locations									
Add-ins	Cr\Files\Microsoft Office\Root\Templates\	Excel default location: Application Templ	ates							
ActiveX Settings	C:\ata\Roaming\Microsoft\Excel\XLSTART\	Excel default location: User StartUp								
	C:\icrosoft Office\Root\Office16\XLSTART\	Excel default location: Excel StartUp								
Macro Settings	C:\ppData\Roaming\Microsoft\Templates\	Excel default location: User Templates								
Protected View	C/icrosoft Office\Root\Office16\STARTUP\ C/\Microsoft Office\Root\Office16\Library\	Excel default location: Office StartUp Excel default location: Add-ins								
Message Bar	,-									
	Policy Locations									
External Content										
File Block Settings										
Privacy Options										
Privacy Options	Path: C/\Program Files\Microsoft	Office\Root\Templates\								
Privacy Options	Path: C:\Program Files\Microsoft Description: Excel default location: Appl									
Privacy Options										
Privacy Options	Description: Excel default location: Appl									
Privacy Options	Description: Excel default location: Appl Date Modified:	ication Templates	amos M							
Privacy Options	Description: Excel default location: Appl Date Modified: Sub Folders: Allowed	Add new location	emove M							
Privacy Options	Description: Excel default location: Appl Date Modified:	Add new location	emove M							

- i. Add New Location: Browse to the file location containing your add-in (or you can move your add-in file to one of the existing Trusted Locations)
- 4. Make Sure the Developer Tab is Visible



- a. If you do not see the Developer Tab, then follow these instructions: Add Developer Ribbon.
- 6. Click File as shown below




8. Click Options

f.




9.

10. In the left-hand pane, click Customise Ribbon.



- 11.
- 12. Click the developer check box and click ok at the bottom.
- 13. Once you have the Developer Tab appearing on the ribbon
- 14. Browse to File.
 - Go to Developer > Excel Add-ins > Select Browse and navigate to your file (E.g., My Documents\Excel Files)
 - b. Once your file appears inside the Add-in Box, ensure you enable the check box per picture below.



16. Make sure the add-in has a check mark next to it and click OK.

17. Your add-in is now installed! And the customised tab will now appear on the Ribbon.

▲ AutoSave ● off ■ ■ □ □ ↓ □ ↓																	
	Home PMO	docs SME	N	Page Layou	t Formu	las Data	a Reviev	v View	Develope	er Help	Team						
Then click on the icon to open your new template. Remember to save to new location																	
Registers	RAID so as not to lose your data																
S15 \vee : $\times \checkmark f_X$																	
A	В	С	D	E	F	G	Н	I.	J	K	L	М	N	0	Р	Q	R
10																	